


INCAS 1 BEAUFORT



CITIZEN 6,22W
180mA DC (34,6 Vf)
dimmable PWM or CCR
758 lumen
CRI 92
beam 36°
30°


A++

142 x 142 mm
Installation height 120 mm

	2700K	3000K	
MODULE TEXT. WHITE	935160	935161	
BOX + MODULE TEXT. WHITE	935130	935131	
BOX	935830	935830	
MODULE TEXT. BLACK	935166	935162	
BOX + MODULE TEXT. BLACK	935136	935132	

CONVERTER p.88

INCAS 1 GU10



Led PAR16 MAX 10W
GU10
230V - 50/60Hz
30°

142 x 142 mm
Installation height 120 mm


CE, RoHS, IP20, F, Home, 1

MODULE TEXT. WHITE	935540
BOX + MODULE TEXT. WHITE	935510
BOX	935830
MODULE TEXT. BLACK	935546
BOX + MODULE TEXT. BLACK	935516

FRONTRING 51 Textured White 700710
FRONTRING 51 Textured Black 700711



INCAS 2 BEAUFORT



CITIZEN (x2) 6,22W
180mA DC (34,6 Vf)
dimmable PWM or CCR
2x 758 lumen
CRI 92
beam 36°
30°


A++

249 x 142 mm
Installation height 120 mm

	2700K	3000K	
MODULE TEXT. WHITE	935260	935261	
BOX + MODULE TEXT. WHITE	935236	935231	
BOX	935930	935930	
MODULE TEXT. BLACK	935266	935262	
BOX + MODULE TEXT. BLACK	935236	935232	

CONVERTER p.88

INCAS 2 GU10



Led PAR16 MAX 10W (x2)
GU10
230V - 50/60Hz
30°

142 x 249 mm
Installation height 120 mm

CE, RoHS, IP20, F, Home, 2,1


MODULE TEXT. WHITE	935640
BOX + MODULE TEXT. WHITE	935610
BOX	935930
MODULE TEXT. BLACK	935646
BOX + MODULE TEXT. BLACK	935616

FRONTRING 51 Textured White 700710
FRONTRING 51 Textured Black 700711






MINI PROJEXXAR 1 BEAUFORT



CITIZEN 6,22W
180mA DC (34,6 Vf)
dimmable PWM or CCR
758 lumen
CRI 92
beam 36°
↻ 30° ↻ 30°

A++




	2700K	3000K
TEXT. WHITE	409527	409537
TEXT. BLACK	409526	409536

⦿ INSTALLATION FRAME FOR PLASTER 409199 110 x 110 x 60 mm

CONVERTER p.88




MINI PROJEXXAR 2 BEAUFORT



CITIZEN (x2) 6,22W
180mA DC (34,6 Vf)
dimmable PWM or CCR
2x 758 lumen
CRI 92
beam 36°
↻ 30° ↻ 30°

A++



	2700K	3000K
TEXT. WHITE	409627	409637
TEXT. BLACK	409626	409636


⦿ INSTALLATION FRAME FOR PLASTER 409299 215 x 110 x 60 mm

CONVERTER p.88



 MINI RASPUTIN 1 BEAUFORT





CITIZEN 6,22W
max. 180mA DC [34,6 Vf]
dimmable PWM or CCR
758 lumen
CRI 92
beam 36°
↻ 359° ↕ 30°





	2700K	3000K
TEXT. WHITE	211318	211328
TEXT. BLACK	211326	211336


- ◉ INSTALLATION FRAME FOR PLASTER **702512** 112 x 112 x 95 mm
- ◉ INSTALLATION BOX FOR VISIBLE CONCRETE **702210** 200 x 235 x 180 mm
- ◉ FRAME FOR PLASTERED CONCRETE (3 MM) **702212** 220 x H 95 mm
- ◉ SURFACE KIT SMALL 1 CI 6,6W TEXT. WHITE **793128**
- ◉ SURFACE KIT SMALL 1 CI 6,6W TEXT. BLACK **793136**

CONVERTER p.88



 MINI RASPUTIN 2 BEAUFORT





CITIZEN (x2) 6,22W
max. 180mA DC [34,6 V]
dimmable PWM or CCR
2x 758 lumen
CRI 92
beam 36°
↻ 359° ↕ 30°






	2700K	3000K
TEXT. WHITE	211418	211428
TEXT. BLACK	211426	211436

- ◉ INSTALLATION FRAME FOR PLASTER **702522** 213 x 112 x 95 mm
- ◉ INSTALLATION FRAME + BOX FOR VISIBLE CONCRETE **702220** 260 x 235 x 180 mm
- ◉ FRAME FOR PLASTERED CONCRETE (3 MM) **702222** 2x 220 x H 95 mm
- ◉ SURFACE KIT SMALL 2 CI 13,2W TEXT. WHITE **793228**
- ◉ SURFACE KIT SMALL 2 CI 13,2W TEXT. BLACK **793236**


CONVERTER p.88



halo led MINI RASPUTIN 1 HALOLED



LUXEON M 7,84W
max. 700mA DC (11,2 Vf)
dimmable PWM or CCR
755 lumen
CRI90 (available from December)
beam 36°
↻ 359° ↻ 30°




	2700K	3000K
TEXT. WHITE	211407	211417
TEXT. BLACK	211406	211416


- ◉ INSTALLATION FRAME FOR PLASTER **720199** 112 x 112 x 130 mm
- ◉ INSTALLATION FRAME + BOX FOR VISIBLE CONCRETE **702210** 200 x 235 x 180 mm
- ◉ FRAME FOR PLASTERED CONCRETE (3 MM) **702212** 220 x H 130 mm

CONVERTER p.89

halo led MINI RASPUTIN 2 HALOLED



LUXEON M 7,84W (X2)
max. 700mA DC (11,2 Vf)
dimmable PWM or CCR
2x 755 lumen
CRI90 (available from December)
beam 36°
↻ 359° ↻ 30°




	2700K	3000K
TEXT. WHITE	211507	211517
TEXT. BLACK	211506	211516

- ◉ INSTALLATION FRAME FOR PLASTER **720299** 213 x 112 x 130 mm
- ◉ INSTALLATION FRAME + BOX FOR VISIBLE CONCRETE **702220** 260 x 235 x 180 mm
- ◉ FRAME FOR PLASTERED CONCRETE (3 MM) **702222** 2x 220 x H 130 mm

CONVERTER p.89



 MINI RASPUTIN 1 GU10




Led PAR16 MAX 10W
GU10
230V - 50/60Hz
↻ 359° ↕ 30°



TEXT. WHITE	211618
TEXT. BLACK	211626
◉ INSTALLATION FRAME FOR PLASTER	720199 112 x 112 x 130 mm
◉ INSTALLATION FRAME + BOX FOR VISIBLE CONCRETE	702210 200 x 235 x 180 mm
◉ FRAME FOR PLASTERED CONCRETE (3 MM)	702212 220 x H 130 mm
◉ SURFACE KIT SMALL 1 230V TEXT. WHITE	791118
◉ SURFACE KIT SMALL 1 230V TEXT. BLACK	791126



 MINI RASPUTIN 2 GU10




2x Led PAR16 MAX 10W
GU10
230V - 50/60Hz
↻ 359° ↕ 30°



TEXT. WHITE	211628
TEXT. BLACK	211636
◉ INSTALLATION FRAME FOR PLASTER	720299 213 x 112 x 130 mm
◉ INSTALLATION FRAME + BOX FOR VISIBLE CONCRETE	702220 260 x 235 x 180 mm
◉ FRAME FOR PLASTERED CONCRETE (3 MM)	702222 2x 220 x H 130 mm
◉ SURFACE KIT SMALL 2 230V TEXT. WHITE	791218
◉ SURFACE KIT SMALL 2 230V TEXT. BLACK	791226



hal led MINI TOMMY TRIMLESS 1 HALOLED



LUXEON M 7,84W
700mA
beam 36°
755 lumen
CRI90 (available from December)
dimmable PWM or CCR
↻ 359° ↻ 30°

A+

CE   **IP 20**   


	2700K	3000K
TEXT. WHITE	117407	117417
TEXT. BLACK	117406	117416

- ⦿ INSTALLATION FRAME FOR PLASTER **720199** 112 x 112 x 135 mm
- ⦿ INSTALLATION FRAME + BOX FOR VISIBLE CONCRETE **702210** 200 x 235 x 180 mm
- ⦿ FRAME FOR PLASTERED CONCRETE (3 MM) **702212** 220 x H 135 mm
- ⦿ SURFACE KIT SMALL TEXT. WHITE CI **793118**
- ⦿ SURFACE KIT SMALL TEXT. BLACK CI **793126**

CONVERTER p.89



hal led MINI TOMMY TRIMLESS 2 HALOLED



LUXEON M 7,84W (x2)
700mA
beam 36°
2x 755 lumen
CRI90 (available from December)
dimmable PWM or CCR
↻ 359° ↻ 30°

A+

CE   **IP 20**   


	2700K	3000K
TEXT. WHITE	117507	117517
TEXT. BLACK	117506	117516

- ⦿ INSTALLATION FRAME FOR PLASTER **720299** 213 x 112 x 135 mm
- ⦿ INSTALLATION FRAME + BOX FOR VISIBLE CONCRETE **702220** 260 x 235 x 180 mm
- ⦿ FRAME FOR PLASTERED CONCRETE (3 MM) **702222** 2x 220 x H 135 mm
- ⦿ SURFACE KIT SMALL TEXT. WHITE CI **793218**
- ⦿ SURFACE KIT SMALL TEXT. BLACK CI **793226**

CONVERTER p.89



 MINI TOMMY TRIMLESS 1 GU10




Led PAR16 MAX 10W
GU10
230V - 50/60Hz
↻ 359° ↻ 30°



TEXT. WHITE	109157
TEXT. BLACK	109136

- ⦿ MINI FRAME FOR PLASTER **720199** 112 x 112 x 135 mm
- ⦿ MINI FRAME + BOX FOR VISIBLE CONCRETE **702210** 200 x 235 x 180 mm
- ⦿ FRAME FOR PLASTERED CONCRETE (3 MM) **702212** 220 x H 135 mm
- ⦿ SURFACE KIT SMALL 1 230V TEXT. WHITE **791118**
- ⦿ SURFACE KIT SMALL 1 230V TEXT. BLACK **791126**

 MINI TOMMY TRIMLESS 2 GU10



Led PAR16 (x2) MAX 10W
GU10
230V - 50/60Hz
↻ 359° ↻ 30°




TEXT. WHITE	109257
TEXT. BLACK	109236

- ⦿ MINI FRAME FOR PLASTER **720299** 213 x 112 x 135 mm
- ⦿ MINI FRAME + BOX FOR VISIBLE CONCRETE **702220** 260 x 235 x 180 mm
- ⦿ FRAME FOR PLASTERED CONCRETE (3 MM) **702222** 2x 220 x H 135 mm
- ⦿ SURFACE KIT SMALL 2 230V TEXT. WHITE **791218**
- ⦿ SURFACE KIT SMALL 2 230V TEXT. BLACK **791226**



 MINI TOMMY TRIMLESS 1 BEAUFORT



CITIZEN 6,22W
max. 180mA DC (34,6 V)
dimmable PWM or CCR
758 lumen
CRI 92
beam 36°
↔ 30° ↕ 30°

A++




	2700K	3000K
TEXT. WHITE	109107	109117
TEXT. BLACK	109106	109116

- ◉ INSTALLATION FRAME FOR PLASTER **702512** 112 x 112 x 60 mm
- ◉ INSTALLATION BOX FOR VISIBLE CONCRETE **702210** 200 x 235 x 180 mm
- ◉ FRAME FOR PLASTERED CONCRETE (3 MM) **702212** 220 x H 60mm
- ◉ SURFACE KIT SMALL 1 CI 6,6W TEXT. WHITE **793128**
- ◉ SURFACE KIT SMALL 1 CI 6,6W TEXT. BLACK **793136**

CONVERTER p.88



 MINI TOMMY TRIMLESS 2 BEAUFORT



CITIZEN (x2) 6,22W
max. 180mA DC (34,6 V)
dimmable PWM or CCR
2x 758 lumen
CRI 92
beam 36°
↔ 30° ↕ 30°

A++



	2700K	3000K
TEXT. WHITE	109207	109217
TEXT. BLACK	109206	109216


- ◉ INSTALLATION FRAME FOR PLASTER **702522** 213 x 112 x 60 mm
- ◉ INSTALLATION BOX FOR VISIBLE CONCRETE **702220** 260 x 235 x 180 mm
- ◉ FRAME FOR PLASTERED CONCRETE (3 MM) **702222** 2x 220 x H 60mm
- ◉ SURFACE KIT SMALL 2 CI 13,2W TEXT. WHITE **793228**
- ◉ SURFACE KIT SMALL 2 CI 13,2W TEXT. BLACK **793236**

CONVERTER p.88





NOBEL SFEROS LEAF



LUXEON M 3,82W
350mA DC
dimmable PWM or CCR
400 Lumen
CRI90 (available from December)
beam 36°
↻ 359°
⤴ 55° tilt

A++




70 mm		
Installation height 75 (90) mm	2700K	3000K
TEXT. WHITE	498447	498437
TEXT. BLACK	498426	498416
TEXTURED WHITE + GOLD	498492	498482
TEXT. WHITE + BLACK FOCUS	498494	498484
TEXT. BLACK + TEXT. WHITE FOCUS	498495	498485
BLACK + GOLD	498496	498486

CONVERTER p.88



NOBEL SFEROS TORSION



LUXEON M 3,82W
350mA DC
dimmable PWM or CCR
400 Lumen
CRI90 (available from December)
beam 36°
↻ 359°
⤴ 55° tilt

A++




70 mm		
Installation height 75 mm	2700K	3000K
TEXT. WHITE	498147	498137
TEXT. BLACK	498126	498116
TEXTURED WHITE + GOLD	498192	498182
TEXT. WHITE + BLACK FOCUS	498194	498184
TEXT. BLACK + TEXT. WHITE FOCUS	498195	498185
BLACK + GOLD	498196	498186

CONVERTER p.88

downlights



MICRO ECLIPS LEAF



LUXEON M 3,82W
350mA DC
dimmable PWM or CCR
400 Lumen
CRI90 (available from December)
beam 36°
30°



56 mm

Installation height 65 (50) mm




	2700K	3000K
TEXTURED WHITE	497447	497437
TEXTURED BLACK	497426	497416
TEXT. WHITE + GOLD FOCUS	497492	497482
TEXT. WHITE + BLACK FOCUS	497494	497484
TEXT. BLACK + WHITE FRONT	497495	497485
BLACK + GOLD	497496	497486

CONVERTER p.88



MICRO ECLIPS TORSION




LUXEON M 3,82W
350mA DC
dimmable PWM or CCR
400 Lumen
CRI90 (available from December)
beam 36°
30°



56 mm

Installation height 50 mm



	2700K	3000K
TEXTURED WHITE	497147	497137
TEXTURED BLACK	497126	497116
TEXT. WHITE + GOLD FOCUS	497192	497182
TEXT. WHITE + BLACK FOCUS	497194	497184
TEXT. BLACK + WHITE FRONT	497195	497185
BLACK + GOLD	497196	497186

CONVERTER p.88



IP 20

CONVERTER p.88











CONVERTER p.88

downlights



hal
led

HELAX 70 HALOLED LEAF

95(80)

2

78

LUXEON M 7,84W

700mA DC

dimmbale PWM or CCR

755 lumen

CRI90 (available from December)

beam 36°

70 mm

Installation height 100 (85) mm

2700K

3000K

TEXT. WHITE

248047

248057

TEXT. BLACK

248046

248056

HELAX 70 GU10

130

78

Led PAR16 - MAX 10W

GU10

230V - 50/60Hz

70 mm

Installation height 135 mm

132027

132026

hal
led

HELAX 70 HALOLED TORSION

80

2

78

LUXEON M 7,84W

700mA DC

dimmbale PWM or CCR

CRI90 (available from December)

755 lumen

beam 36°

70 mm

Installation height 85 mm

2700K

3000K

TEXT. WHITE

248017

248027

TEXT. BLACK

248016


248026

CONVERTER p.89

TAL 13




 HELAX 70 OUT GU10 IP54



Led PAR16 - MAX 10W
GU10
230V - 50/60Hz


 70 mm
Installation height 135 mm



TEXT. WHITE	132129
TEXT. BLACK	132130




 HELAX 70 OUT QR-C51 IP54



Led QR-C51 - MAX 10W
Gu5.3
12V - 50/60Hz

 70 mm
Installation height 135 mm




TEXT. WHITE	132127
TEXT. BLACK	132128





downlights

hal led HELAX 70 OUT HALOLED TORSION




LUXEON M 7,84W
700mA DC
755 lumen
CRI90 (available from December)
dimmable PWM or CCR
beam 36°

A⁺

70 mm


Installation height 85 mm



	2700K	3000K
TEXT. WHITE	249017	249027
TEXT. BLACK	249016	249026

CONVERTER p.89

hal led HELAX 70 OUT HALOLED LEAF



LUXEON M 7,84W
700mA DC
755 lumen
CRI90 (available from December)
dimmable PWM or CCR
beam 36°

A⁺

70 mm

Installation height 100 (85) mm




	2700K	3000K
TEXT. WHITE	249047	249057
TEXT. BLACK	249046	249056

CONVERTER p.89

downlights



halo led SPINA HALOLED LEAF



LUXEON M 7,84W
700mA DC
dimmable PWM or CCR
755 lumen
CRI90 (available from December)
beam 36°



70 mm




Installation height 100 [85] mm

	2700K	3000K
BLACK + GOLD	315510	315540
TEXT. WHITE + TEXT. BLACK	315520	315550
TEXT. WHITE + GOLD	315530	315560

CONVERTER p.89




SPINA GU10



Led PAR16 - MAX 10W
GU10
230V - 50/60Hz

70 mm


Installation height 135 mm



TEXT. WHITE + TEXT. BLACK	315260
TEXT. BLACK + GOLD	315270



HELVA BEAUFORT LEAF




CITIZEN LED 6,22W
180mA DC (34,6 Vf)
Dimmable PWM or CCR
758 Lumen
CRI 92 (3000K = CRI 82)
beam 36°
↻ 359° ↕ 20°



92 mm


Installation height 70 (85) mm



	2700K	3000K
TEXT. WHITE	133247	133257
TEXT. BLACK	133226	133236

CONVERTER p.88

HELVA GU10



Led PAR16 - MAX 10W
GU10
230V - 50/60Hz
↻ 350° ↕ 30°


92 mm

Installation height 130 mm



TEXT. WHITE	133118
-------------	--------

HELVA BEAUFORT TORSION




CITIZEN LED 6,22W
180mA DC (34,6 Vf)
Dimmable PWM or CCR
758 Lumen
CRI 92 (3000K = CRI 82)
beam 36°
↻ 359° ↕ 20°



92 mm

Installation height 70 mm




	2700K	3000K
TEXT. WHITE	133147	133157
TEXT. BLACK	133126	133136

CONVERTER p.88



HELAX SML IP20 LEAF





LUXEON M 3,82W
350mA DC
dimmable PWM or CCR
400 Lumen
CRI90 (available from December)
beam 36°

A++

56 mm
Installation height 70 (55) mm

	2700K	3000K
TEXT. WHITE	178347	178357
TEXT. BLACK	178326	178336

CE, IP 20, F, 0,2

FRAME FOR PLASTER 178000 56 x H 70mm


56 mm solid ceilings
55 mm hollow ceilings

CONVERTER p.88



HELAX SML IP20 TORSION





LUXEON M 3,82W
350mA DC
dimmable PWM or CCR
400 Lumen
CRI90 (available from December)
beam 36°

A++

55 mm
Installation height 65 mm

	2700K	3000K
TEXT. WHITE	178447	178457
TEXT. BLACK	178426	178436


CE, IP 20, F, 0,2

FRAME FOR PLASTER 178000 56 x H 70mm

CONVERTER p.88




 CEDRUS GU10 LEAF



Led PAR16 - MAX 10W
GU10
230V - 50/60Hz
30°


83 mm
Installation height 130 mm



TEXT. WHITE	348347
TEXT. BLACK	348326
GOLD	348313


 FRAME FOR PLASTER 348000

 CEDRUS GU10 TORSION



Led PAR16 - MAX 10W
GU10
230V - 50/60Hz
30°

83 mm
Installation height 130 mm




TEXT. WHITE	348247
TEXT. BLACK	348226
GOLD	348213

 FRAME FOR PLASTER 348000

downlights



CEDRUS BEAUFORT LEAF



CITIZEN LED 6,22W
180mA DC (34,6 Vf)
Dimmable PWM or CCR
758 Lumen
beam 36°
CRI 92 (3000K = CRI 82)

A++

83 mm

Installation height 125 [100] mm




	2700K	3000K
TEXT. WHITE	348647	348657
TEXT. BLACK	348626	348636
GOLD	348613	348623

FRAME FOR PLASTER 348000

CONVERTER p.88



CEDRUS BEAUFORT TORSION



CITIZEN LED 6,22W
180mA DC (34,6 Vf)
Dimmable PWM or CCR
758 Lumen
beam 36°
CRI 92 (3000K = CRI 82)

A++

83 mm

Installation height 100 mm



	2700K	3000K
TEXT. WHITE	348547	348557
TEXT. BLACK	348526	348536
GOLD	348513	348523

FRAME FOR PLASTER 348000

CONVERTER p.88


downlights



downlights



 CEDRUS QUANTUM LEAF




BRIDGELUX COB 6,2W
Max. 350mA DC (17,63 Vf)
3000K = 622 lm
2700K = 600 lm
beam 36°
CRI 90

A++

 76 mm

Installation height 100 (85) mm




	2700K	3000K
TEXT. WHITE	348848	348849
TEXT. BLACK	348827	348828

 FRAME FOR PLASTER 348100

CONVERTER p.88



 CEDRUS QUANTUM TORSION



BRIDGELUX COB 6,2W
Max. 350mA DC (17,63 Vf)
3000K = 622 lm
2700K = 600 lm
beam 36°
CRI 90

A++

 76 mm

Installation height 85 mm




	2700K	3000K
TEXT. WHITE	348748	348749
TEXT. BLACK	348727	348728

 FRAME FOR PLASTER 348100

CONVERTER p.88


hal led FUNNEL FIX HALOLED LEAF



LUXEON M 7,84W
700mA DC
Dimmable PWM or CCR
755 lumen
beam 36°

A+

76 mm



Installation height 90 (75) mm

2700K	3000K	
-------	-------	--


TEXT. WHITE	469147	469157	
-------------	--------	--------	--

TEXT. BLACK	469126	469136	
-------------	--------	--------	--

Solid ceilings: 90mm installation height
False ceilings: 75mm installation height

CONVERTER p.89


hal led FUNNEL FIX HALOLED TORSION



LUXEON M 7,84W
700mA DC
Dimmable PWM or CCR
755 lumen
CRI90 (available from December)
beam 36°

A+

76 mm



Installation height 75 mm


2700K	3000K	
-------	-------	--

TEXT. WHITE	469047	469057	
-------------	--------	--------	--

TEXT. BLACK	469026	469036	
-------------	--------	--------	--

CONVERTER p.89

hal led FUNNEL FLEX HALOLED LEAF



LUXEON M 7,84W
700mA DC
Dimmable PWM or CCR
755 lumen
beam 36°
20°

A+

92 mm



Installation height 90 (75) mm

2700K	3000K	
-------	-------	--


TEXT. WHITE	469347	469357	
-------------	--------	--------	--

TEXT. BLACK	469326	469336	
-------------	--------	--------	--

Solid ceilings: 90mm installation height
False ceilings: 75mm installation height

CONVERTER p.89


hal led FUNNEL FLEX HALOLED TORSION



LUXEON M 7,84W
700mA DC
Dimmable PWM or CCR
755 lumen
CRI90 (available from December)
beam 36°
20°

A+

92 mm



Installation height 75 mm

2700K	3000K	
-------	-------	--

TEXT. WHITE	469247	469257	
-------------	--------	--------	--

TEXT. BLACK	469226	469236	
-------------	--------	--------	--

CONVERTER p.89

downlights



hal
led

FUNNEL EXO HALOLED

75(60)
20
66

LUXEON M 7,84W (11,2Vf)
700mA DC
Dimmable PWM or CCR
755 lumen
CRI90 (available from December)
beam 36°

A+


56 mm
Installation height 80 (65) mm

	2700K	3000K	
TEXT. WHITE	484647	484657	
TEXT. BLACK	484626	484636	

CONVERTER p.89



hal led SOLID ROUND HALOLED



LUXEON M - 7,84W
700mA
dimmable PWM or CCR
755 lumen
CRI90 (available from December)
beam 36°



80 mm

Installation height 70 [55] mm




	2700K	3000K	
TEXT. WHITE	466047	466057	
TEXT. BLACK	466026	466036	
BRUSHED ALU	466008	466018	

CONVERTER p.89



hal led SOLID ROUND MOBY HALOLED



LUXEON M - 7,84W
700mA
dimmable PWM or CCR
755 lumen
CRI90 (available from December)
beam 36°
↔ 359° ↻ 20°



80 mm

Installation height 70 [55] mm




	2700K	3000K	
TEXT. WHITE	466147	466157	
TEXT. BLACK	466126	466136	

CONVERTER p.89



 SOLID ROUND GU10




Led PAR16 - MAX 10W
GU10
230V - 50/60Hz

 80 mm
Installation height 135 mm




TEXT. WHITE	225518
TEXT. BLACK	225526
BRUSHED ALU	225472

 SOLID ROUND MOBY GU10



Led PAR16 - MAX 10W
GU10
230V - 50/60Hz
↻ 350° ↕ 30°


 80 mm
Installation height 135 mm



TEXT. WHITE	227518
TEXT. BLACK	227526
BRUSHED ALU	227472



SOLID SQUARE HALOLED



LUXEON M - 7,84W
700mA
dimmable PWM or CCR
755 lumen
CRI90 (available from December)
beam 36°



80 mm

Installation height 70 (55) mm




	2700K	3000K	
TEXT. WHITE	466247	466257	
TEXT. BLACK	466226	466236	
BRUSHED ALU	466208	466218	

CONVERTER p.89



SOLID SQUARE MOBY HALOLED



LUXEON M - 7,84W
700mA
dimmable PWM or CCR
755 lumen
CRI90 (available from December)
beam 36°
↻ 359° ↕ 20°



80 mm

Installation height 70 (55) mm




	2700K	3000K	
TEXT. WHITE	466347	466357	
TEXT. BLACK	466326	466336	

CONVERTER p.89




 SOLID SQUARE GU10




Led PAR16 - MAX 10W
GU10
230V - 50/60Hz

 80 mm
Installation height 135 mm




TEXT. WHITE	226518
BRUSHED ALU	226472

 SOLID SQUARE MOBY GU10



Led PAR16 - MAX 10W
GU10
230V - 50/60Hz
↻ 350° ↕ 30°


 80 mm
Installation height 135 mm



TEXT. WHITE	228518
BRUSHED ALU	228472



 CLIO GU10



Led PAR16 - MAX 10W
GU10
230V - 50/60Hz


 68 mm
Installation height 135 mm



TEXT. WHITE	4118
TEXT. BLACK	4115




 ORION GU10



Led PAR16 - MAX 10W
GU10
230V - 50/60Hz
350° 30°

 80 mm
Installation height 135 mm




TEXT. WHITE	4218
TEXT. BLACK	4215

downlights



 SIMPLON BEAUFORT LEAF



CITIZEN LED 6,22W
180mA DC (34,6 Vf)
Dimmable PWM or CCR
758 Lumen
CRI 92 (3000K = CRI 82)
beam 36°
⌀ 20°



 82 mm

Installation height 45 (60) mm




	2700K	3000K	
TEXT. WHITE	227947	227957	
TEXT. BLACK	227926	227936	

CONVERTER p.88



 SIMPLON BEAUFORT TORSION




CITIZEN LED 6,22W
180mA DC (34,6 Vf)
Dimmable PWM or CCR
758 Lumen
CRI 92 (3000K = CRI 82)
beam 36°
⌀ 20°



 82 mm

Installation height 45 mm




	2700K	3000K	
TEXT. WHITE	227847	227857	
TEXT. BLACK	227826	227836	

CONVERTER p.88



halo led SIMPLON HALOLED LEAF




LUXEON M 7,84W
700mA DC
Dimmable PWM or CCR
755 lumen
CRI90 (available from December)
beam 36°
± 20°



82 mm

Installation height 70 (55) mm



TEXT. WHITE

2700K

3000K

TEXT. BLACK

227747

227757


227726

227736

CONVERTER p.89



halo led SIMPLON HALOLED TORSION




LUXEON M 7,84W
700mA DC
Dimmable PWM or CCR
755 lumen
CRI90 (available from December)
beam 36°
± 20°



82 mm

Installation height 55 mm



TEXT. WHITE

2700K

3000K

TEXT. BLACK

227647

227657

227626


227636

CONVERTER p.89

downlights



ECLIPS ROUND BEAUFORT



CITIZEN LED 6,22W
180mA DC (34,6 Vf)
Dimmable PWM or CCR
758 Lumen
CRI 92 (3000K = CRI 82)
beam 36°
30°



Installation height 70 mm



TEXT. WHITE

2700K

3000K

TEXT. BLACK

426247

426257


426226

426236

CONVERTER p.88



ECLIPS SQUARE BEAUFORT



CITIZEN LED 6,22W
180mA DC (34,6 Vf)
Dimmable PWM or CCR
758 Lumen
CRI 92 (3000K = CRI 82)
beam 36°
30°



Installation height 70 mm



TEXT. WHITE

2700K

3000K

TEXT. BLACK

426347

426357


426326

426336

CONVERTER p.88




 HELAX SML LEAF BEAUFORT²



Citizen 18W
MAX 500 mA DC
dimmable PWM or CCR
2000 Lumen




 127 mm
Installation height 105 (90) mm



	2700K		3000K		
	35°	70°	35°	70°	
TEXT. WHITE	471147	471127	471177	471137	
TEXT. BLACK	471146	471126	471176	471136	

CONVERTER p.89


 HELAX SML TORSION BEAUFORT²



Citizen 18W
MAX 500 mA DC
dimmable PWM or CCR
2000 Lumen



 127 mm
Installation height 90 mm



	2700K		3000K		
	35°	70°	35°	70°	
TEXT. WHITE	471047		471077	471037	
TEXT. BLACK	471046	471026	471076	471036	

CONVERTER p.89

downlights





MICRO TOMMY 1 TORSION

LUXEON M 3,82W
350mA DC
dimmable PWM or CCR
400 lumen
CRI90 (available from December)
beam 36°
15-20°

52 x 52 mm
Installation height 80 mm

CE, RoHS, ENEC, IP 20, F, Home, 0,2

TEXT. WHITE	419147	419137
TEXT. BLACK	419126	419116
TEXT. WHITE & BLACK FOCUS	419194	419184
TEXT. BLACK & WHITE FRONT	419195	419185
BLACK & GOLD	419196	419186

MICRO FRAME FOR PLASTER 419199 140 x 85 x H60 mm
MICRO BOX FOR PLASTER FINISH 419197 155 x 85 x H90 mm

MICRO TOMMY 2 TORSION

LUXEON M 3,82W (x2)
350mA DC
dimmable PWM or CCR
2 x 400 lumen
CRI90 (available from December)
beam 36°
35-20°


114 x 52 mm
Installation height 80 mm

CE, RoHS, ENEC, IP 20, F, Home, 0,3


TEXT. WHITE	419247	419237
TEXT. BLACK	419226	419216
TEXT. WHITE & BLACK FOCUS	419294	419284
TEXT. BLACK & WHITE FRONT	419295	419285
BLACK & GOLD	419296	419286

MICRO FRAME FOR PLASTER 419299 200 x 235 x H60 mm
MICRO BOX FOR PLASTER FINISH 419297 200 x 235 x H150 mm

downlights



MICRO TOMMY 3 TORSION



LUXEON M 3,82W (x3)
350mA DC
dimnable PWM or CCR
3 x 400 lumen
CRI90 (available from December)
beam 36°
35-20°

A++

162 x 52 mm
Installation height 80 mm


2700K	3000K
TEXT. WHITE	419347
TEXT. BLACK	419326
TEXT. WHITE & BLACK FOCUS	419394
TEXT. BLACK & WHITE FRONT	419395
BLACK & GOLD	419396

2700K	3000K
TEXT. WHITE	419337
TEXT. BLACK	419316
TEXT. WHITE & BLACK FOCUS	419384
TEXT. BLACK & WHITE FRONT	419385
BLACK & GOLD	419386

MICRO FRAME FOR PLASTER 419399 260 x 235 x H60 mm
MICRO BOX FOR PLASTER FINISH 419397 260 x 235 x H150 mm

CONVERTER p.88

MICRO TOMMY IP54



LUXEON M 3,82W
350mA DC
dimnable PWM or CCR
400 lumen
CRI90 (available from December)
beam 36°

A++

52 x 52 mm
Installation height 80 mm


2700K	3000K
TEXT. WHITE	472147
TEXT. BLACK	472126
TEXT. WHITE & BLACK FOCUS	472194
BLACK & GOLD	472196
TEXT. WHITE & BLACK INSIDE	472195
TEXT. WHITE + GOLD	472192

2700K	3000K
TEXT. WHITE	472137
TEXT. BLACK	472116
TEXT. WHITE & BLACK FOCUS	472184
BLACK & GOLD	472186
TEXT. WHITE & BLACK INSIDE	472185
TEXT. WHITE + GOLD	472182

MICRO FRAME FOR PLASTER 419199 140 x 85 x H60 mm
MICRO BOX FOR PLASTER FINISH 419197 155 x 85 x H90 mm

CONVERTER p.88

MICRO TOMMY 1 LEAF




LUXEON M 3,82W
350mA DC
dimmable PWM or CCR
400 lumen
CRI90 (available from December)
beam 36°
15-20°

A++

52 x 52 mm

Installation height 80 mm




2700K 3000K

TEXT. WHITE	419447	419437
TEXT. BLACK	419426	419416
TEXT. WHITE & BLACK FOCUS	419494	419484
TEXT. BLACK & WHITE FRONT	419495	419485
BLACK & GOLD	419496	419486

- MICRO FRAME FOR PLASTER 419199 140 x 85 x H60 mm
- MICRO BOX FOR PLASTER FINISH 419197 155 x 85 x H90 mm

CONVERTER p.88

MICRO TOMMY 2 LEAF



LUXEON M 3,82W x 2
350mA DC
dimmable PWM or CCR
2 x 400 lumen
CRI90 (available from December)
beam 36°
35-20°

A++

114 x 52 mm

Installation height 80 mm




2700K 3000K

TEXT. WHITE	419547	419537
TEXT. BLACK	419526	419516
TEXT. WHITE & BLACK FOCUS	419594	419584
TEXT. BLACK & WHITE FRONT	419595	419585
BLACK & GOLD	419596	419586

- MICRO FRAME FOR PLASTER 419299 200 x 235 x H60 mm
- MICRO BOX FOR PLASTER FINISH 419297 200 x 235 x H150 mm

CONVERTER p.88

MICRO TOMMY 3 LEAF




LUXEON M 3,82W x 3
350mA DC
dimmable PWM or CCR
3 x 400 lumen
CRI90 (available from December)
beam 36°
35-20°

A++

162 x 52 mm

Installation height 80 mm





2700K 3000K

TEXT. WHITE	419647	419637
TEXT. BLACK	419626	419616
TEXT. WHITE & BLACK FOCUS	419694	419684
TEXT. BLACK & WHITE FRONT	419695	419685
BLACK & GOLD	419696	419686


- MICRO FRAME FOR PLASTER 419399 260 x 235 x H60 mm
- MICRO BOX FOR PLASTER FINISH 419397 260 x 235 x H150 mm

CONVERTER p.88





QUAD BEAUFORT




CITIZEN LED 6,22W
180mA DC (34,6 Vf)
Dimmable PWM or CCR
758 Lumen
CRI 92 (3000K = CRI 82)
beam 36°

A++

80 x 80 mm

Installation height 71 mm




	2700K	3000K
TEXT. WHITE	750431	750441
TEXT. BLACK	750450	750460

CONVERTER p.88



QUAD ORIENTABLE BEAUFORT




CITIZEN LED 6,22W
180mA DC (34,6 Vf)
Dimmable PWM or CCR
758 Lumen
CRI 92 (3000K = CRI 82)
35°
beam 36°

A++

80 x 80 mm

Installation height 85 mm




	2700K	3000K
TEXT. WHITE	750647	750657
TEXT. BLACK	750626	750636

- INSTAL. BOX FOR PLASTER 750138 155 x 155 x 165 mm
- INSTAL. FRAME FOR PLASTER 250790 85 x 85 mm

CONVERTER p.88



 QUAD GU10



Led PAR16 - MAX 10W
GU10
230V - 50/60Hz

 80 x 80 mm

Installation height 125 mm



TEXT. WHITE **750161**

TEXT. GREY **750160**

TEXT. BLACK **750162**

STAINLESS STEEL **750165**

 INSTAL. BOX FOR PLASTER

750138

 155 x 155 x 165 mm


 INSTAL. FRAME FOR PLASTER

250790

 85 x 85 mm



 QUAD ORIENTABLE GU10



Led PAR16 - MAX 10W
GU10
230V - 50/60Hz
30°

 80 x 80 mm

Installation height 125 mm



TEXT. WHITE **750171**

TEXT. GREY **750170**

TEXT. BLACK **750172**

STAINLESS STEEL **750175**

 INSTAL. BOX FOR PLASTER

750138

 155 x 155 x 165 mm

 INSTAL. FRAME FOR PLASTER


250790

 85 x 85 mm

downlights



DICE EXO



LUXEON M LED 7,84W
700mA DC
dimmable PWM or CCR
755 Lumen
CRI90 (available from December)
beam 50°



56 mm

Installation height 60 mm




	2700K	3000K
TEXT. WHITE	377347	377337
TEXT. BLACK	377326	377316

CONVERTER p.89



MINI TOMMY 1 BEAUFORT





CITIZEN LED 6,22W
180mA DC [34,6 Vf]
Dimmable PWM or CCR
30°
758 Lumen
beam 36°
CRI 92 [3000K = CRI 80]

A++

110 x 110 mm
Installation height 60 mm

	2700K	3000K
TEXT. WHITE	107107	107117
TEXT. BLACK	107106	107116
BLACK + GOLD	107186	107196

CE, RoHS, Energy, IP 20, F, Home, 0,6


⊕ INSTAL. FRAME FOR PLASTER 700139 200 x 235 mm
⊕ INSTAL. BOX FOR PLASTER 700138 200 x 235 x 150 mm

CONVERTER p.88



MINI TOMMY 2 BEAUFORT





CITIZEN LED (x2) 6,22W
180mA DC [34,6 Vf]
Dimmable PWM or CCR
30°
2x 758 Lumen
beam 36°
CRI 92 [3000K = CRI 80]

A++

210 x 110 mm
Installation height 60 mm

	2700K	3000K
TEXT. WHITE	107207	107217
TEXT. BLACK	107206	107216
BLACK + GOLD	107286	107296

CE, RoHS, Energy, IP 20, F, Home, 1

⊕ INSTAL. FRAME FOR PLASTER 700239 260 x 235 mm
⊕ INSTAL. BOX FOR PLASTER 700238 260 x 235 x 150 mm

CONVERTER p.88




downlights



hal
led

MINI TOMMY 1 HALOLED



LUXEON M - 7,84W
700mA DC
dimmable PWM or CCR
755 lumen
CRI90 (available from December)
beam 36°
30°

A⁺

110 x 110 mm
Installation height 135 mm

CE

IP 20

F

0,8

	2700K	3000K
TEXT. WHITE	107407	107417
TEXT. BLACK	107406	107416

700139

700138

INSTAL. FRAME FOR PLASTER

INSTAL. BOX FOR PLASTER

200 x 235 mm


200 x 235 x 150 mm

CONVERTER p.89



hal
led

MINI TOMMY 2 HALOLED



LUXEON M (x2) - 7,84W
700mA DC
dimmable PWM or CCR
2x 755 lumen
CRI90 (available from December)
beam 36°
30°

A⁺

210 x 110 mm
Installation height 135 mm

CE

IP 20

F

0,8

	2700K	3000K
TEXT. WHITE	107507	107517
TEXT. BLACK	107506	107516

700239

700238

INSTAL. FRAME FOR PLASTER

INSTAL. BOX FOR PLASTER


260 x 235 mm

260 x 235 x 150 mm

CONVERTER p.89



MINI TOMMY 1 GU10



Led PAR16 - MAX 10W
GU10
230V - 50/60Hz
30°

110 x 110 mm
Installation height 135 mm




TEXT. WHITE	107257
TEXT. BLACK	107236

- INSTAL. FRAME FOR PLASTER 700139 200 x 235 mm
- INSTAL. BOX FOR PLASTER 700138 200 x 235 x 150 mm




MINI TOMMY 2 GU10



Led PAR16 (x2) - MAX 10W
GU10
230V - 50/60Hz
30°

210 x 110 mm
Installation height 135 mm




TEXT. WHITE	107157
TEXT. BLACK	107136

- INSTAL. FRAME FOR PLASTER 700239 260 x 235 mm
- INSTAL. BOX FOR PLASTER 700238 260 x 235 x 150 mm

wall recessed



 DICE WALL WC



CREE XPE 1,2W
 350mA DC
 dimmable PWM or CCR
 94 Lumen
 beam 50°




	2700K	3000K
TEXT. WHITE	377547	377557
TEXT. BLACK	377526	377536

FITS ON STANDARD ELECTRICAL
 ACCESSORY BOX WITH SCREWS




CONVERTER p.88

 DICE WALL CI



CREE XPE 1,2W
 230V AC
 94 Lumen
 beam 50°



	2700K	3000K
TEXT. WHITE	377447	377457
TEXT. BLACK	377426	377436

FITS ON STANDARD ELECTRICAL
 ACCESSORY BOX WITH SCREWS



DIABOLO S WC



CREE XPE 1,2W
350mA DC
dimmable PWM or CCR
94 Lumen

A+

	2700K	3000K
TEXT. WHITE	177247	177257
TEXT. BLACK	177226	177236

FITS ON STANDARD ROUND ELECTRICAL ACCESSORY BOX WITH SCREWS

CONVERTER p.88

DIABOLO S CI



CREE XPE 1,2W
230V AC
94 Lumen

A+

	2700K	3000K
TEXT. WHITE	177447	177457
TEXT. BLACK	177426	177436

FITS ON STANDARD ROUND ELECTRICAL ACCESSORY BOX WITH SCREWS

DIABOLO S LEAF




CREE XPE 1,2W
350mA DC
dimmable PWM or CCR
94 Lumen

A+


	2700K	3000K
TEXT. WHITE	177347	177357
TEXT. BLACK	177326	177336

56 mm
Installation height 40 mm

CONVERTER p.88



A⁺




	2700K	3000K
TEXT. WHITE	452057	452047
TEXT. BLACK	452036	452026
BRUSHED ALU	452022	452012



145900



CLAMP SET



A⁺



	2700K	3000K
TEXT.WHITE	145531	145611
TEXT.BLACK	145567	145626
STAINLESS STEEL	145530	145610




14590



CLAMP SET




HABANA SINGLE BEAM WC



LUXEON M LED 3,82W
350mA DC
400 Lumen
CRI90 (available from December)
beam 36°

A++

UP or DOWN



	2700K	3000K
TEXT. WHITE	467047	467067
TEXT. BLACK	467026	467046
BLACK + GOLD	467096	467016


FITS ON STANDARD ELECTRICAL
ACCESSORY BOX WITH SCREWS



CONVERTER p.88




HABANA UP/DOWN WC



LUXEON M LED 2x 3,82W
350mA DC
2x 400 Lumen
CRI90 (available from December)
beam 36°

A++

UP DOWN



	2700K	3000K
TEXT. WHITE	467147	467167
TEXT. BLACK	467126	467146
BLACK + GOLD	467196	467116

FITS ON STANDARD ELECTRICAL
ACCESSORY BOX WITH SCREWS




CONVERTER p.88

wall surface

HABANA SINGLE BEAM CI

1



LUXEON M LED 3,82W
230V - AC
400 Lumen
CRI90 (available from December)
beam 36°

⬆ UP or ⬇ DOWN

CE


IP 20

	2700K	3000K
TEXT. WHITE	467247	467267
TEXT. BLACK	467226	467246
BLACK + GOLD	467296	467216



HABANA UP/DOWN CI

1



LUXEON M LED 2x 3,82W
230V - AC
2x 400 Lumen
CRI90 (available from December)
beam 36°

⬆ UP DOWN

CE


IP 20

	2700K	3000K
TEXT. WHITE	467347	467367
TEXT. BLACK	467326	467346
BLACK + GOLD	467396	467316






BOA SINGLE BEAM




CITIZEN 6,44W
230V - AC
595 Lumen
UP or DOWN




	2700K	3000K
TEXT. WHITE	405247	405237
BLACK + GOLD	405226	405216
TEXT. WHITE + GOLD	405292	405282
TEXT. BLACK + WHITE	405295	405285



BOA UP/DOWN DIM



CITIZEN LED - 2x 6,44W
230V - AC
dimmable C
2x 595 Lumen
UP DOWN




	2700K	3000K
TEXT. WHITE	405447	405437
BLACK + GOLD	405426	405416
TEXT. WHITE + GOLD	405492	405482
TEXT. BLACK + WHITE	405495	405485

wall surface




BLOX SINGLE BEAM



CREE XPE 1,2W
230V - AC
⬆ UP or ⬆ DOWN


A⁺



	2700K	3000K
TEXT. WHITE + CHROME	175077	175097
BRUSHED ALU	175078	175098
BLACK + GOLD	175276	175296




BLOX UP/DOWN



CREE XPE (x2) 1,2W
230V - AC
⬆ UP DOWN

A⁺




	2700K	3000K
TEXT. WHITE + CHROME	175177	175197
BRUSHED ALU	175178	175198
BLACK + GOLD	175376	175396






DARTLING SINGLE BEAM




LUXEON M 3,82W
230V - AC
dimmable L,C
400 Lumen
beam 36°
UP or DOWN

A++




	2700K	3000K
TEXT WHITE	359918	359928
TEXT WHITE + GOLD	359992	359982
BRUSHED ALU	359900	359920
TEXT BLACK + ANO	359950	359970
BLACK + GOLD	359926	359946

DART




QT14 25 - 75W
G9
230V - 50Hz
dimmable R
UP DOWN

A++




TEXT WHITE	350018
BLACK + GOLD	350026

DARTLING UP/DOWN



LUXEON M 3,82W x2
230V - AC
dimmable L,C
2X400 lm
beam 36°
UP DOWN

A++




	2700K	3000K
TEXT WHITE	359818	359828
TEXT WHITE + GOLD	359892	359882
BRUSHED ALU	359800	359820
TEXT BLACK + ANO	359850	359870
BLACK + GOLD	359826	359846

ceiling mounted



NOBEL ELBOW WC




LUXEON M 3,82W
350mA DC
400 Lumen
dimmable PWM or CCR
CRI90 (available from December)
beam 36°
↻ 359° ↕ 90°



⚡ 42 mm

Installation height 40 mm



	2700K	3000K	
TEXT. WHITE	459047	459036	
TEXT. BLACK	459026	459057	
BLACK + GOLD	459096	459086	


FITS ALSO ON STANDARD ROUND ELECTRICAL
ACCESSORY BOX WITH SCREWS



CONVERTER p.88



NOBEL ELBOW 1 BASE



LUXEON M 3,82W
230V - AC
400 Lumen
CRI90 (available from December)
beam 36°
↻ 359° ↕ 90°




	2700K	3000K	
TEXT. WHITE	459147	459157	
TEXT. BLACK	459126	459136	
BLACK + GOLD	459196	459186	

ceiling mounted




NOBEL ELBOW 3 BASE




LUXEON M 3 x 3,82W
230V - AC
3 x 400 Lumen
CRI90 (available from December)
beam 36°
↻ 359° ↕ 90°

A++




	2700K	3000K
TEXT. WHITE	459247	459257
TEXT. BLACK	459226	459236
BLACK + GOLD	459296	459286

NOBEL ELBOW M10



LUXEON M 3,82W
350mA DC
400 Lumen
CRI90 (available from December)
beam 36°
dimmable PWM or CCR
↻ 359° ↕ 90°

A++




	2700K	3000K
TEXT. WHITE	459547	459557
TEXT. BLACK	459526	459536
BLACK + GOLD	459596	459586

M10 BASES P. 68 - 69

CONVERTER p.88

ceiling mounted

halo led FUNNEL ELBOW HALOLED LEAF



LUXEON M LED 7,84W
700mA DC
755 lumen
CRI90 (available from December)
beam 36°
dimmable PWM or CCR
↔ 359° ↕ 40°

A+


⚡ 56 mm
Installation height 40 mm

2700K	3000K
TEXT. WHITE	TEXT. BLACK

484247	484347
484226	484326

CONVERTER p.89

halo led FUNNEL ELBOW HALOLED TORSION



LUXEON M LED 7,84W
700mA DC
755 lumen
CRI90 (available from December)
beam 36°
dimmable PWM or CCR
↔ 359° ↕ 40°

A+


⚡ 56 mm
Installation height 40 mm

2700K	3000K
TEXT. WHITE	TEXT. BLACK

484047	484147
484026	484126

CONVERTER p.89

halo led FUNNEL ELBOW HALOLED M10



LUXEON M LED 7,84W
700mA DC
755 lumen
CRI90 (available from December)
beam 36°
dimmable PWM or CCR
↔ 359° ↕ 40°

A+

⚡ M10 BASES P. 68 - 69

2700K	3000K
TEXT. WHITE	TEXT. BLACK

484447	484547
484426	484526


CONVERTER p.89



ceiling mounted




MICRO SCOOP



LUXEON M LED 3,82W
350mA DC
400 LUMEN
CRI90 (available from December)
dimable PWM or CCR
beam 36°
359° TILT 90°

A++



	2700K	3000K
TEXT. WHITE	407027	407227
TEXT. BLACK	407026	407226
TEXT. WHITE + BLACK	407095	407295
BLACK+GOLD	407096	407296

- MICROSCOOP WALL ADAPTER
TEXT. BLACK **407926**
- MICROSCOOP WALL ADAPTER
TEXT. WHITE **407947**




WALL ADAPTER FITS ALSO ON STANDARD
ELECTRICAL ACCESSORY BOX WITH SCREWS




CONVERTER p.88



MINI SCOOP GU10



Led PAR16 - MAX 10W
GU10
230V - 50/60Hz
359° 90°



TEXT. WHITE	179247
TEXT. BLACK	179226


- MINI SCOOP FOOT
TEXT. WHITE **179090**
- MINI SCOOP FOOT
TEXT. BLACK **179091**




ceiling mounted



MINI SCOOP DEIMOS CI




LUXEON M 7,84W
230V AC
755 lumen
CRI90 (available from December)
dimmable LIC
359° TILT 90°




	2700K		3000K	
	38°	60°	38°	60°
TEXT. WHITE	179747	179767	179757	179777
TEXT. BLACK	179726	179746	179736	179756


- MINI SCOOP FOOT TEXT. WHITE 179090
- MINI SCOOP FOOT TEXT. BLACK 179091



MINI SCOOP DEIMOS WC



LUXEON M 7,84W
700mA DC
755 lumen
CRI90 (available from December)
dimmable PWM or CCR
359° TILT 90°



	2700K		3000K	
	38°	60°	38°	60°
TEXT. WHITE	179847	179867	179857	179877
TEXT. BLACK	179826	179846	179836	179856

- MINI SCOOP FOOT TEXT. WHITE 179090
- MINI SCOOP FOOT TEXT. BLACK 179091




CONVERTER p.89

ceiling mounted



SPINA ON HALOLED



LUXEON M LED 7,84W
700mA DC
755 lumen
CRI90 (available from December)
beam 36°
dimmable PWM or CCR

A+




	2700K	3000K
TEXT. WHITE	433047	433048
TEXT. BLACK	433026	433027
TEXT. WHITE + GOLD	433092	433093
BLACK + GOLD	433096	433097


CONVERTER p.89



SPINA ON GU10



Led PAR16 - MAX 10W
GU10
230V - 50/60Hz




TEXT. WHITE	429147
TEXT. BLACK	429126
TEXT. WHITE + GOLD	429192
BLACK+GOLD	429196

ceiling mounted



SPINA ON SPLASH IP54



LUXEON M LED 7,84W
230V- AC
400 lumen
CRI90 (available from December)
beam 36°
mains dimmable L,C


A+



	2700K	3000K
TEXT. WHITE	433847	433848
TEXT. BLACK	433826	433827
TEXT. WHITE + GOLD	433892	433893
BLACK + GOLD	433896	433897




DOMINO BEAUFORT DIMMABLE




CITIZEN COB 2 x 6,22W
230V - 50/60Hz
2 x 758 Lumen
dimmable 1-10V
beam 36°
↻ 359° ↻ 20°

A++




	2700K	3000K
TEXT. WHITE	468147	468457
TEXT. BLACK	468126	468436

haloed SPINA ELBOW HALOLED



LUXEON M LED 7,84W
230V - AC
755 lumen
CRI90 (available from December)
beam 36°
dimmable L,C
↻ 359° ↕ 40°


A+




2700K 3000K

TEXT. WHITE	433147	433148
TEXT. BLACK	433126	433127
TEXT. WHITE + GOLD	433192	433193
BLACK + GOLD	433196	433197

SPINA ELBOW GU10




Led PAR16 - MAX 10W
GU10
230V - 50/60Hz
↻ 359° ↕ 40°




TEXT. WHITE	430147
TEXT. BLACK	430126
TEXT. WHITE + GOLD	430192
BLACK+GOLD	430196

haloed SPINA ELBOW HALOLED M10



LUXEON M LED 7,84W
230V - AC
755 lumen
CRI90 (available from December)
beam 36°
dimmable L,C
↻ 359° ↕ 40°

A+




2700K 3000K


TEXT. WHITE	433247	433248
TEXT. BLACK	433226	433227
TEXT. WHITE + GOLD	433292	433293
BLACK + GOLD	433296	433297

⦿ M10 BASES P. 71

SPINA ELBOW GU10 M10



Led PAR16 - MAX 10W
GU10
230V - 50/60Hz
↻ 359° ↕ 40°



TEXT. WHITE	430747
TEXT. BLACK	430726
TEXT. WHITE + GOLD	430792
BLACK+GOLD	430796

⦿ M10 BASES P. 71


ceiling mounted



ceiling mounted




FABIAN 300 - Dali / touch dim



LED ARRAY 13,8 W
230V - AC
Dali/touch dimmable
CRI 82
1880/2050 Lumen


A++



	3000K
TEXT. WHITE	620157
TEXT. BLACK	620156




FABIAN 500 - Dali / touch dim



LED ARRAY 35,2W
230V - AC
Dali/touch dimmable
CRI 82
5200 Lumen

A++




	3000K
TEXT. WHITE	630157
TEXT. BLACK	630156

ceiling mounted



 DICE CI MAINS DIMMABLE



LUXEON M LED 3,82W
230V - AC
400 Lumen
CRI90 (available from December)
beam 50°
dimmable L,C






	2700K	3000K
TEXT. WHITE	377147	377137
TEXT. BLACK	377126	377116



 MICRO TOMMY CEILING




LUXEON M LED [3x] 3,82W
230V - AC
3x 400 Lumen
CRI90 (available from December)
beam 36°
↻ 35° ↻ 20°






	2700K	3000K
TEXT. WHITE	419747	419737
TEXT. BLACK	419726	419716
TEXT. WHITE + BLACK FOCUS	419794	419784
BLACK + GOLD	419796	419786
TEXT. WHITE + BLACK RINGS	419797	419787

ceiling mounted



BOA LED



CITIZEN LED 6,44W
230V - AC
595 lumen

A⁺




2700K


TEXT. WHITE	405147
TEXT. BLACK + WHITE	405195
TEXT. WHITE + GOLD	405192
BLACK+GOLD	405126








 DJANGO FIXED GU10




Led PAR16 - MAX 10W
GU10
230V - 50/60Hz




TEXT. WHITE	371905
TEXT. BLACK	371906



 DJANGO FIXED DOUBLE GU10



Led PAR16 [x2] - MAX 10W
GU10
230V - 50/60Hz




TEXT. WHITE	371925
TEXT. BLACK	371926


ceiling mounted



 DJANGO GU10 ORIENTABLE




Led PAR16 - MAX 10W
GU10
230V - 50/60Hz
359° 20°




TEXT. WHITE	371901
TEXT. BLACK	371902



 DJANGO 2 GU10 ORIENTABLE




Led PAR16 - MAX 10W
GU10
230V - 50/60Hz
359° 20°



TEXT. WHITE	371921
TEXT. BLACK	371922

M10 BASE DUO CI 350mA 600

MAX 8W
230V - AC
output 350mA - DC
mains dimmable

CE, IP 20, F, 0,8

Dimmable L, C

TEXT. WHITE

378248


TEXT. BLACK

378227



Nobel elbow Nobel Berrier Junior Nobel Pi

M10 BASE TRIO CI 350mA 900

MAX 12W
230V - AC
output 350mA - DC
mains dimmable

CE, IP 20, F, 1,2


Dimmable L, C

TEXT. WHITE

378348


TEXT. BLACK

378327



Nobel elbow Nobel Berrier Junior Nobel Pi

M10 BASE DUO CI 700mA 600

MAX 16W
230V - AC
output 700mA - DC
mains dimmable

CE, IP 20, F, 0,8

Dimmable L, C

TEXT. WHITE

379248


TEXT. BLACK

379227



Funnel elbow Spinola

M10 BASE TRIO CI 700mA 900

MAX 24W
230V - AC
output 700mA - DC
mains dimmable

CE, IP 20, F, 1,2

Dimmable L, C

TEXT. WHITE

379348

TEXT. BLACK

379327




Funnel elbow Spinola

ceiling mounted

M10 BASE QUATTRO CI 350mA 1200






MAX 16W
230V - AC
output 350mA - DC
mains dimmable




Dimmable L, C

TEXT. WHITE	378448
TEXT. BLACK	378427



M10 BASE RECESSED SMALL





350mA DC / 500mA DC / 700mA DC / ...
... / 230V - AC




20 mm

Installation height 50 mm




TEXT. BLACK	408826
TEXT. WHITE	408847



CONVERTER p.88 CONVERTER p.89 CONVERTER p.89

M10 BASE QUATTRO CI 700mA 1200





MAX 32W
230V - AC
output 700mA - DC
mains dimmable




Dimmable L, C

TEXT. WHITE	379448
TEXT. BLACK	379427



M10 BASE RECESSED LARGE





350mA DC / 500mA DC / 700mA DC / ...
... / 230V - AC

Can be used as access point for converter!




42 mm

Installation height 50 mm




TEXT. BLACK	408926
TEXT. WHITE	408947



CONVERTER p.88 CONVERTER p.89 CONVERTER p.89




NOBEL PI CI




LUXEON M LED 3,82W
230V - AC
400 Lumen
CRI90 (available from December)
beam 36°

A++




	2700K	3000K
TEXT. WHITE + mainscord WHITE	418118	418108
TEXT. BLACK + mainscord BLACK	418102	418112
BLACK + GOLD	418196	418186
TEXT. WHITE + mainscord RED	418134	418124
WHITE + BLACK focus & mainscord	418194	418184
TEXT. BLACK + mainscord RED	418126	418116

NOBEL PI WC




LUXEON M LED 3,8W
350mA DC
400 Lumen
CRI90 (available from December)
beam 36°

A++




	2700K	3000K
TEXT. WHITE + mainscord WHITE	418018	418008
TEXT. BLACK + mainscord BLACK	418002	418012
BLACK + GOLD	418096	418086
TEXT. WHITE + mainscord RED	418034	418024
WHITE + BLACK focus & mainscord	418094	418084
TEXT. BLACK + mainscord RED	418026	418016

NOBEL PI M10



LUXEON M LED 3,82W
350mA DC
400 Lumen
CRI90 (available from December)
beam 36°

A++



	2700K	3000K
TEXT. WHITE + mainscord WHITE	418218	418208
TEXT. BLACK + mainscord BLACK	418202	418212
BLACK + GOLD	418296	418286
TEXT. WHITE + mainscord RED	418234	418224
WHITE + BLACK focus & mainscord	418294	418284
TEXT. BLACK + mainscord RED	418226	418216


M10 BASES P. 68 - 69

CONVERTER p.88

suspension



BERRIER JUNIOR CI




LUXEON M LED 3,82W
230V - AC
CRI90 (available from December)
400 Lumen
beam 60°

A++



	2700K	3000K
TEXT. WHITE	487134	487124
TEXT. BLACK	487102	487112
BLACK + GOLD	487196	487186

BERRIER JUNIOR WC



LUXEON M LED 3,82W
350mA DC
CRI90 (available from December)
400 Lumen
beam 60°


A++



	2700K	3000K
TEXT. WHITE	487034	487024
TEXT. BLACK	487002	487012
BLACK + GOLD	487096	487086

CONVERTER p.88

BERRIER JUNIOR M10



LUXEON M LED 3,82W
350mA DC
CRI90 (available from December)
400 Lumen
beam 60°

A++




	2700K	3000K
TEXT. WHITE	487234	487224
TEXT. BLACK	487202	487212
BLACK + GOLD	487296	487286

M10 BASES P. 68 - 69


CONVERTER p.88



KALEBAS E27




A60 - max. 40W
E27
230V - AC
dimable: see bulb




OAK + BRASS (MAINSCORD BLACK)	488015
BLACK OAK + BRASS (MAINSCORD BLACK)	488025
OAK + TEXT. BLACK (MAINSCORD BLACK)	488026
BLACK OAK + TEXT. BLACK (MAINSCORD BLACK)	488036
OAK + TEXT. WHITE (MAINSCORD WHITE)	488047



KALEBAS E27 M10



A60 - max. 40W
E27
230V - AC
dimable: see bulb




OAK + BRASS (MAINSCORD BLACK)	488115
BLACK OAK + BRASS (MAINSCORD BLACK)	488125
OAK + TEXT. BLACK (MAINSCORD BLACK)	488126
BLACK OAK + TEXT. BLACK (MAINSCORD BLACK)	488136
OAK + TEXT. WHITE (MAINSCORD WHITE)	488147

⊙ M10 BASES P. 76-77

suspension



NUTS E27




A60 MAX 40W
E27
230V - AC




TEXT. WHITE	425047
TEXT. BLACK	425026



NUTS E27 M10




A60 MAX 40W
E27
230V - AC




TEXT. WHITE	425547
TEXT. BLACK	425526

BERRIER



PREVALED 12,7W
230V - AC
1100 lumen
beam 60°
dimmable L, C
CRI 90


A+



2700K

TEXT. WHITE - MAINSCORD WHITE	494001
TEXT. WHITE - MAINSCORD RED	494047
TEXT. BLACK - MAINSCORD RED	494026
TEXT. BLACK - MAINSCORD BLACK	494016
TEXT. BLACK + GOLD - MAINSCORD BLACK	494096

BERRIER M10



PREVALED 12,7W
230V - AC
1100 lumen
beam 60°
dimmable L, C
CRI 90

A+



2700K

TEXT. WHITE - MAINSCORD WHITE	494101
TEXT. WHITE - MAINSCORD RED	494147
TEXT. BLACK - MAINSCORD RED	494126
TEXT. BLACK - MAINSCORD BLACK	494116
TEXT. BLACK + GOLD - MAINSCORD BLACK	494196


⦿ M10 BASES P. 76-77




suspension



LUZIEN E27




A60 40W
E27
230V - AC
dimmable: see bulb



TEXT. WHITE	453047
TEXT. BLACK	453026
BLACK+GOLD	453096



M10 BASE KOSMOS



350mA DC / 500mA DC / 700mA DC / ...
... / 230V - AC

Max. luminaires weight: 0,5kg

Can be used as access point for converter!

56 mm

Installation height 60 mm




TEXT. BLACK

408626

TEXT. WHITE

408647



Nobel

Berrier Junior

Nobel Pi

Kalebas

Nuts


Spinola

CONVERTER p.88

CONVERTER p.88

CONVERTER p.89

M10 BASE 3 LARGE 350mA CI



max. 18W

230V - AC

Output 350mA DC

For suspension only!




TEXT. BLACK

408726

TEXT. WHITE

408747



Nobel


Berrier Junior

Nobel Pi

Funnel elbow

suspension





M10 BASE DUO 230V 600



MAX 1000W
230V - AC


CE   IP 20   

TEXT. WHITE	375206
TEXT. BLACK	375236



Kalebas Nuts Winston Spinola Berrier Nelson Tele-scoop Funnel elbow






M10 BASE TRIO 230V 900



MAX 1000W
230V - AC


CE   IP 20   

TEXT. WHITE	375309
TEXT. BLACK	375336



Kalebas Nuts Winston Spinola Berrier Nelson Tele-scoop Funnel elbow




M10 BASE QUATTRO 230V 1200



MAX 1000W
230V - AC


CE   IP 20   

TEXT. WHITE	375412
TEXT. BLACK	375436



Kalebas Nuts Winston Spinola Berrier Nelson Tele-scoop



M10 BASE ROUND 3 & 7 -230V



MAX 1000W
230V - AC


CE   IP 20   

3 base		7 base
TEXT. WHITE	411937	411977
TEXT. BLACK	411926	411976




Kalebas Nuts Winston Spinola Berrier Nelson Tele-scoop

MICRO OBO ROUND



LUXEON M LED 3,82W
350mA DC
CLEAR GLASS
400 Lumen
beam 36°

A++




	2700K	3000K
STAINLESS STEEL	362621	362670
SILVER ANO	362623	362672

FLOORTUBE	369650	
-----------	--------	--

CONVERTER p.88

MICRO UBO ROUND



LUXEON M LED 3,82W
350mA DC
CLEAR GLASS
400 Lumen
beam 36°

A++




	2700K	3000K
STAINLESS STEEL	362641	362660
SILVER ANO	362643	362662

FLOORTUBE FLOORTUBE BLACK	369651 369653	
------------------------------	------------------	--


CONVERTER p.88

MICRO OBO FOCUS



LUXEON M 3,8W
350mA DC
CLEAR GLASS
beam 36°
400 Lumen

A++




	2700K	3000K
STAINLESS STEEL + BLACK FOCUS	362625	362675
SILVER ANO + BLACK FOCUS	362627	362677
BLACK ANO + GOLD FOCUS	362628	-
BLACK ANO + BLACK FOCUS	362629	362678

FLOORTUBE	369650	
-----------	--------	--

CONVERTER p.88

MICRO UBO FOCUS



LUXEON M 3,8W
350mA DC
CLEAR GLASS
beam 36°
400 Lumen

A++



	2700K	3000K
STAINLESS STEEL + BLACK FOCUS	362645	362665
SILVER ANO + BLACK FOCUS	362647	362667
BLACK ANO + GOLD FOCUS	362648	-
BLACK ANO + BLACK FOCUS	362649	362668


FLOORTUBE FLOORTUBE BLACK	369651 369653	
------------------------------	------------------	--

CONVERTER p.88



ROSEAU PIN





LUXEON M 3,82W
230V - AC
0-35°
400 lumen


A++

CE   IP 54   

	2700K	3000K
TEXTURED BLACK	416126	416136
TEXTURED GREY	416103	416113
SILVER ANTHRACITE	416123	416133

ROSEAU FLOOR 1350





LUXEON M 3,82W
230V - AC
0-35°
400 lumen


A++

CE   IP 54   

	2700K	3000K
TEXTURED BLACK	416226	416236
TEXTURED GREY	416203	416213
SILVER ANTHRACITE	416223	416233

ROSEAU FLOOR 1700





LUXEON M 3,82W
230V - AC
0-35°
400 lumen


A++

CE   IP 54   

	2700K	3000K
TEXTURED BLACK	416326	416336
TEXTURED GREY	416303	416313
SILVER ANTHRACITE	416323	416333




GUARDIAN 295



LUXEON M 3,82W
230V - AC
400 lumen
CRI90 (available from December)
☐

A++




	2700K	3000K
TEXTURED BLACK	431226	431626
TEXTURED GREY	431203	431603
SILVER ANTHRACITE	431223	431623

GROUNDPIN 260992




GUARDIAN 595



LUXEON M 3,82W
230V - AC
400 lumen
CRI90 (available from December)
☐

A++




	2700K	3000K
TEXTURED BLACK	431326	431726
TEXTURED GREY	431303	431703
SILVER ANTHRACITE	431323	431723

GROUNDPIN 260992




 BRIX SINGLE BEAM IP65



LUXEON M 3,82W
230V - AC
dimmable L,C
400 lumen
CRI90 (available from December)
UP $\uparrow$ 70° or DOWN $\downarrow$ 70°


A++



	2700K	3000K
TEXTURED BLACK	260941	260931
TEXTURED GREY	260943	260933
SILVER ANTHRACITE	260947	260937




 BRIX UP/DOWN IP65



LUXEON M (x2) 3,82W
230V - AC
dimmable L,C
2x 400 lumen
UP/ DOWN $\updownarrow$ 70°


A++




	2700K	3000K
TEXTURED BLACK	260942	260932
TEXTURED GREY	260946	260936
SILVER ANTHRACITE	260944	260934



MENHIR 150-250



A60 40W
 E27
 230V - AC
 dimmable: see bulb



TEXT. BLACK


360526







hal led HELAX 70 OUT HALOLED LEAF



LUXEON M 7,84W
700mA DC
755 lumen

A+

dimnable PWM or CCR
beam 36°



70 mm
Installation height 100 (85) mm




	2700K	3000K
TEXT. WHITE	249047	249057
TEXT. BLACK	249046	249056

CONVERTER p.89

MINI HELAX OUT 400



hal led HELAX 70 OUT HALOLED TORSION



LUX M 3,82W
350mA DC
400lumen
CRI90 (available from December)
dimnable PWM or CCR
beam 36°


A++



40 mm
Installation height 60 mm



TEXT. BLACK	178946	178947
TEXT. WHITE	178940	178941



LUXEON M 7,84W
700mA DC
755 lumen
CRI90 (available from December)
dimnable PWM or CCR
beam 36°

A+



70 mm
Installation height 85 mm




TEXT. WHITE	249017	249027
TEXT. BLACK	249016	249026

CONVERTER p.89



HELAX SML IP54 LEAF




LUX M 3,82W
350mA DC
400lumen
CRI90 (available from December)
dimmable PWM or CCR
beam 36°

A++

56 mm

Installation height 70 (55) mm



TEXT. WHITE

178547

178557

TEXT. BLACK

178526


178536



56 mm solid ceilings
55 mm hollow ceilings

CONVERTER p.88

hal led HELAX SML OUT HALOLED



LUXEON M 7,84W
700mA DC
755 lumen
CRI90 (available from December)
dimmable PWM or CCR
beam 36°

A+

95 mm

Installation height 100 (85) mm



TEXT. WHITE

249147

249157


TEXT. BLACK

249146

249156

CONVERTER p.89

HELAX SML IP54 TORSION




LUX M 3,82W
350mA DC
400lumen
CRI90 (available from December)
dimmable PWM or CCR
beam 36°

A++

55 mm

Installation height 65 mm



TEXT. WHITE

178647

178657

TEXT. BLACK


178626

178636

CONVERTER p.88



 SPINA ELBOW TRACK GU10




Led PAR16 - MAX 10W
GU10
230V - 50/60Hz
↻ 359° ↻ 45°



TEXT. WHITE	430447
TEXT. BLACK	430426
TEXT. WHITE + GOLD	430492
BLACK + GOLD	430496



 SPINA ELBOW TRACK HALOLED CI




LUXEON M LED 7,84W
230V - AC
755 lumen
CRI90 [available from December]
beam 36°
dimmable L,C
↻ 359° ↻ 45°



	2700K	3000K
TEXT. WHITE	433347	433348
TEXT. BLACK	433326	433327
TEXT. WHITE + GOLD	433392	433393
BLACK + GOLD	433396	433397



 MINI SCOOP TRACK GU10




Led PAR16 - MAX 10W
GU10
230V - 50/60Hz
359° TILT 90°

A+



TEXT. WHITE	179547
TEXT. BLACK	179526

 MINI SCOOP TRACK DEIMOS



LUXEON M LED 7,84W
230V - AC
755 lumen
CRI90 (available from December)
beam 36°
359° TILT 90°

A+



	2700K			3000K		
	9°	38°	60°	9°	38°	60°
TEXT. WHITE	279727	279747	279767	279737	279757	279777
TEXT. BLACK	279706	279726	279746	279716	279736	279756

TAL 87

TYPE	BEAUFORT
FIXTURE	MINI TOMMY, ECLIPS, INCAS R, QUAD, HELVA, CEDRUS
MAX. CURRENT	180
P (W)	6,22
TYPICAL FORWARD VOLTAGE V _F	34,6

180mA CONSTANT CURRENT CONVERTERS

Artnr	Converter Type	Strain Relief	Dimmable	IP	Class	Input voltage (V)	Output range (V)	Luminaires Quantity	
930544	CONVERTOR 7,2W MAINS DIMM C	YES	MAINS DIMM C	20		230-240	20-40	1	
930565	CONVERTOR 10W DIMMABLE L,C (10%) 1-10V	YES	MAINS DIMM L,C 1-10V	20		220-240	28-56	1	
930588	CONVERTOR 15W DALI/TOUCH DIMM	YES	DALI / TOUCH DIMM	20		198-264	20-54	1	
930545	CONVERTOR 2.5-15W	YES	NOT	20		90-264	0-41,5	1	
930546	CONVERTOR 1-20W DIMMABLE 1-10V	YES	1-10V	20		110-240	3-43	1	
930549	CONVERTOR 2X 8W DIMMABLE 1-10V 2 CHANNEL	YES	1-10V	20		110-240	3-45	1-2	

TYPE	LUXEON M	BRIDGELUX
FIXTURE	THINK SMALL	CEDRUS QUANTUM
MAX. CURRENT	350	350
P (W)	3,82	6,2
TYPICAL FORWARD VOLTAGE V _F	10,95	17,7

350mA CONSTANT CURRENT CONVERTERS

Artnr	Converter Type	Strain Relief	Dimmable	IP	Class	Input voltage (V)	Output range (V)	Luminaires Quantity	
930579	CONVERTER 4W NON DIMM	NO	NOT	65		100-240	2 - 12	1	0
930512	CONVERTER 4W MAINS DIMM L/C	NO	MAINS DIMM L/C	65		220-240	6 - 12	1	0
930591	CONVERTER 6W DIMMABLE 1-10V	YES	1-10V DIMM	20		198-264	2-18	1	1
930573	CONVERTER 8W	NO	NOT	54		90-264	0-25	1-2	1
930541	CONVERTER 9W	NO	NOT	20		220-240	3-25	1-2	1
930561	CONVERTER 12W SMALL MAINS DIMM C ⁽¹⁾	YES	MAINS DIMM C 10-30%	20		230-240	3-32	1-2	1
930595	CONVERTER 12W MAINS DIMM C ⁽¹⁾	NO	MAINS DIMM L/C	65		220-240	18-35	2-3	0
930562	CONVERTER 13,5W MAINS DIMM L/C ⁽²⁾	YES	MAINS DIMM L/C 10%	20		220-240	18 - 38	2-3	2
930581	CONVERTER 15W DALI / TOUCH DIMM ⁽²⁾	YES	DALI / TOUCH DIMM	20		220-240	9 - 51	1-4	1-2
930511	CONVERTER 18W MAINS DIMM L/C ⁽²⁾	YES	MAINS DIMM L/C 10%	20		198-264	27-54	3-4	2-3
930560	CONVERTER 1-20W DIMMABLE 1-10V	YES	1-10V DIMM	20		110-240	6 - 42	1-3	1-2
930537	CONVERTER 26W	NO	NOT	66		100-240	38-75	4-6	3-4
930536	CONVERTER 26W DIMMABLE 1-10V	NO	1-10V DIMM	66		100-240	38-75	4-6	3-4

technicals

500mA CONSTANT CURRENT CONVERTERS

TYPE	BEAUFORT²
FIXTURE	TOMMY, ECLIPS, INCAS R
MAX. CURRENT	500
P (W)	18,1
TYPICAL FORWARD VOLTAGE V _F	36,2

Artnr	Converter Type	Strain Relief	Dimmable	IP	Class	Input voltage (V)	Output range (V)	Luminaire Quantity	
930558	CONVERTOR 20W	YES	NOT	20		115-240	3 - 40	1	
930553	CONVERTOR 1-20W DIMMABLE 1-10V	YES	1-10V DIMM	20		110-240	3 - 43	1	
930602	CONVERTER 21W MAINS DIMM L,C	YES	MAINS DIMM L,C	20		220-240	16-42	1	
930585	CONVERTOR 35W DALI / TOUCH DIMM	YES	DALI / TOUCH DIMM	20		198-264	30-54	1	
930556	CONVERTOR 2X 20W DIMMABLE 1-10V	YES	1-10V DIMM	20		110-240	1 - 100	1-2	
930557	CONVERTOR 2X 20W DALI / TOUCH DIMM	YES	DALI DIMM	20		110-240	1 - 100	1-2	

TYPE	LUXEON M
FIXTURE	HALOLED: DREBBEL, ECLIPS, FUNNEL, HELAX, MINI RASPUTIN, MINI TOMMY, SIMPLON, SOLID, SPINA, DEIMOS
MAX. CURRENT	700
P (W)	7,84
TYPICAL FORWARD VOLTAGE V _F	11,2

700mA CONSTANT CURRENT CONVERTERS

Artnr	Converter Type	Strain Relief	Dimmable	IP	Class	Input voltage (V)	Output range (V)	Luminaire Quantity	
930592	CONVERTER 10W MAINS DIMM L,C	YES	MAINS DIMM L,C	20		230-240	7 - 14	1	
930594	CONVERTER 12W MAINS DIMM L,C	NO	MAINS DIMM L,C	65		220-240	9 - 18	1	
930578	CONVERTOR 1-20W DIMMABLE 1-10V	YES	1-10V DIMM	20		180-240	6 - 28,6	1-2	
930587	CONVERTOR 15W DALI / TOUCH DIMM	YES	DALI / TOUCH DIMM	20		198-264	7,5 - 26	1-2	
930589	CONVERTER 25W MAINS DIMM L,C	YES	MAINS DIMM L,C	67		220-240	16 - 35	2-3	
930590	CONVERTER 35W MAINS DIMM L,C	YES	MAINS DIMM L,C	20		220-240	27 - 50	3-4	
930582	CONVERTER 35W DALI / TOUCH DIMM	YES	DALI / TOUCH DIMM	20		198-264	22 - 54	2-4	

4115	30	117507	6	177426	46	179846	57	227857	31	249256	12	348523	21	362627	78	377526	45	407947	56	418026	70
4118	30	117516	6	177436	46	179847	57	227926	31	249257	12	348526	21	362628	78	377536	45	408626	76	418034	70
4215	30	117517	6	177447	46	179856	57	227936	31	249266	12	348536	21	362629	78	377547	45	408647	76	418084	70
4218	30	132026	13	177457	46	179857	57	227947	31	249267	12	348547	21	362641	78	377557	45	408726	76	418086	70
107106	42	132027	13	178000	19	179867	57	227957	31	250790	40	348557	21	362643	78	378227	68	408747	76	418094	70
107107	42	132127	14	178326	19	179877	57	228472	29	260931	81	348613	21	362645	78	378248	68	408826	69	418096	70
107116	42	132128	14	178336	19	211318	3	228518	29	260932	81	348623	21	362647	78	378327	68	408847	69	418102	70
107117	42	132129	14	178347	19	211326	3	248016	13	260933	81	348626	21	362648	78	378348	68	408926	69	418108	70
107136	44	132130	14	178357	19	211328	3	248017	13	260934	81	348636	21	362649	78	378427	69	408947	69	418112	70
107157	44	133118	18	178426	19	211336	3	248026	13	260936	81	348647	21	362660	78	378448	69	409526	2	418116	70
107186	42	133126	18	178436	19	211406	4	248027	13	260937	81	348657	21	362662	78	379227	68	409527	2	418118	70
107196	42	133136	18	178447	19	211407	4	248046	13	260941	81	348727	23	362665	78	379248	68	409536	2	418124	70
107206	42	133147	18	178457	19	211416	4	248047	13	260942	81	348728	23	362667	78	379327	68	409537	2	418126	70
107207	42	133157	18	178526	85	211417	4	248056	13	260943	81	348748	23	362668	78	379348	68	409626	2	418134	70
107216	42	133226	18	178536	85	211418	3	248057	13	260944	81	348749	23	362670	78	379427	69	409627	2	418184	70
107217	42	133236	18	178547	85	211426	3	249016	16	260946	81	348827	23	362672	78	379448	69	409636	2	418186	70
107236	44	133247	18	178557	85	211428	3	249016	84	260947	81	348828	23	362675	78	405126	64	409637	2	418194	70
107257	44	133257	18	178626	85	211436	3	249017	16	260992	80	348848	23	362677	78	405147	64	411926	77	418196	70
107286	42	145530	47	178636	85	211506	4	249017	84	279706	87	348849	23	362678	78	405192	64	411937	77	418202	70
107296	42	145531	47	178647	85	211507	4	249026	16	279716	87	350018	52	371901	67	405195	64	411976	77	418208	70
107406	43	145567	47	178657	85	211516	4	249026	84	279726	87	350026	52	371902	67	405216	50	411977	77	418212	70
107407	43	145610	47	178930	12	211517	4	249027	16	279727	87	359800	52	371905	66	405226	50	416103	79	418216	70
107416	43	145611	47	178931	12	211618	5	249027	84	279736	87	359818	52	371906	66	405237	50	416113	79	418218	70
107417	43	145626	47	178936	12	211626	5	249046	16	279737	87	359820	52	371921	67	405247	50	416123	79	418224	70
107506	43	145900	47	178937	12	211628	5	249046	84	279746	87	359826	52	371922	67	405282	50	416126	79	418226	70
107506	43	175077	51	178940	84	211636	5	249047	16	279747	87	359828	52	371925	66	405285	50	416133	79	418234	70
107507	43	175078	51	178941	84	225472	27	249047	84	279756	87	359846	52	371926	66	405292	50	416136	79	418284	70
107507	43	175097	51	178946	84	225518	27	249056	16	279757	87	359850	52	375206	77	405295	50	416203	79	418286	70
109106	8	175098	51	178947	84	225526	27	249056	18	279767	87	359870	52	375236	77	405416	50	416213	79	418294	70
109107	8	175177	51	179090	57	226472	29	249056	84	279777	87	359882	52	375309	77	405426	50	416223	79	418296	70
109116	8	175178	51	179091	57	226518	29	249057	16	315260	17	359892	52	375336	77	405437	50	416226	79	419116	36
109117	8	175197	51	179226	56	227472	27	249057	18	315270	17	359900	52	375412	77	405447	50	416233	79	419126	36
109136	7	175198	51	179247	56	227518	27	249057	84	315510	17	359918	52	375436	77	405482	50	416236	79	419137	36
109157	7	175276	51	179526	87	227526	27	249146	85	315520	17	359920	52	377116	63	405485	50	416303	79	419147	36
109206	8	175296	51	179547	87	227626	32	249147	85	315530	17	359926	52	377126	63	405492	50	416313	79	419184	36
109207	8	175376	51	179726	57	227636	32	249156	85	315540	17	359928	52	377137	63	405495	50	416323	79	419185	36
109216	8	175396	51	179736	57	227647	32	249157	85	315550	17	359946	52	377147	63	407026	56	416326	79	419186	36
109217	8	177226	46	179746	57	227657	32	249216	12	315560	17	359950	52	377316	41	407027	56	416333	79	419194	36
109236	7	177236	46	179747	57	227726	32	249217	12	348213	20	359970	52	377326	41	407095	56	416336	79	419195	36
109257	7	177247	46	179756	57	227736	32	249226	12	348226	20	359982	52	377337	41	407096	56	418002	70	419196	36
117406	6	177257	46	179757	57	227747	32	249227	12	348247	20	359992	52	377347	41	407226	56	418008	70	419216	36
117407	6	177326	46	179767	57	227757	32	249236	12	348313	20	360526	75	377426	45	407227	56	418012	70	419226	36
117416	6	177336	46	179777	57	227826	31	249237	12	348326	20	362621	78	377436	45	407295	56	418016	70	419237	36
117417	6	177347	46	179826	57	227836	31	249246	12	348347	20	362623	78	377447	45	407296	56	418018	70	419247	36
117506	6	177357	46	179836	57	227847	31	249247	12	348513	21	362625	78	377457	45	407926	56	418024	70	419284	36

419285	36	419716	63	431623	80	452012	47	466226	28	469236	24	484526	55	497126	11	498495	10	720199	7	930537	88	935516	1
419286	36	419726	63	431626	80	452022	47	466236	28	469247	24	484547	55	497137	11	498496	10	720299	4	930541	88	935540	1
419294	36	419737	63	431703	80	452026	47	466247	28	469257	24	484626	25	497147	11	620156	62	720299	5	930544	88	935546	1
419295	36	419747	63	431723	80	452036	47	466257	28	469326	24	484636	25	497182	11	620157	62	720299	6	930545	88	935610	1
419296	36	419784	63	431726	80	452047	47	466326	28	469336	24	484647	25	497184	11	630156	63	720299	7	930546	88	935616	1
419316	37	419786	63	433026	58	452057	47	466336	28	469347	24	484657	25	497185	11	630157	62	750138	40	930549	88	935640	1
419326	37	419787	63	433027	58	453026	75	466347	28	469357	24	487002	71	497186	11	700138	42	750160	40	930553	89	935646	1
419337	37	419794	63	433047	58	453047	82	466357	28	471026	34	487012	71	497192	11	700138	43	750161	40	930556	89	935830	1
419347	37	419796	63	433048	58	453096	75	467016	48	471027	34	487024	71	497194	11	700139	42	750162	40	930557	89	935930	1
419384	37	419797	63	433092	58	459026	53	467026	48	471036	34	487034	71	497195	11	700139	43	750165	40	930558	89		
419385	37	425026	73	433093	58	459036	53	467046	48	471037	34	487086	71	497196	11	700238	42	750170	40	930560	88		
419386	37	425047	73	433096	58	459047	53	467047	48	471046	34	487096	71	497416	11	700238	43	750171	40	930561	88		
419394	37	425526	73	433097	58	459057	53	467067	48	471047	34	487102	71	497426	11	700239	42	750172	40	930562	88		
419395	37	425547	73	433126	60	459086	53	467096	48	471076	34	487112	71	497437	11	700239	43	750175	40	930565	88		
419396	37	426226	33	433127	60	459096	53	467116	48	471077	34	487124	71	497447	11	702210	3	750431	39	930573	88		
419416	38	426236	33	433147	60	459126	53	467126	48	471126	34	487134	71	497482	11	702210	4	750441	39	930578	89		
419426	38	426247	33	433148	60	459136	53	467146	48	471127	34	487186	71	497484	11	702210	5	750450	39	930579	88		
419437	38	426257	33	433192	60	459147	53	467147	48	471136	34	487196	71	497485	11	702210	6	750460	39	930581	88		
419447	38	426326	33	433193	60	459157	53	467167	48	471137	34	487202	71	497486	11	702210	7	750626	39	930582	89		
419484	38	426336	33	433196	60	459186	53	467196	48	471146	34	487212	71	497492	11	702210	8	750636	39	930585	89		
419485	38	426347	33	433197	60	459196	53	467216	49	471147	34	487224	71	497494	11	702212	3	750647	39	930587	89		
419486	38	426357	33	433226	60	459226	54	467226	49	471176	34	487234	71	497495	11	702212	4	750657	39	930588	88		
419494	38	429126	58	433227	60	459236	54	467246	49	471177	34	487286	71	497496	11	702212	5	791118	5	930589	89		
419495	38	429147	58	433247	60	459247	54	467247	49	472116	37	487296	71	498116	10	702212	6	791118	7	930590	89		
419496	38	429192	58	433248	60	459257	54	467267	49	472126	37	488015	72	498126	10	702212	7	791126	5	930591	88		
419516	38	429196	58	433292	60	459286	54	467296	49	472137	37	488025	72	498137	10	702212	8	791126	7	930592	89		
419526	38	430126	60	433293	60	459296	54	467316	49	472147	37	488026	72	498147	10	702220	3	791218	5	930594	89		
419537	38	430147	60	433296	60	459526	54	467326	49	472182	37	488036	72	498182	10	702220	4	791218	7	930595	88		
419547	38	430192	60	433297	60	459536	54	467346	49	472184	37	488047	72	498184	10	702220	5	791226	5	930602	89		
419584	38	430196	60	433326	86	459547	54	467347	49	472185	37	488115	72	498185	10	702220	6	791226	7	935130	1		
419585	38	430426	86	433327	86	459557	54	467367	49	472186	37	488125	72	498186	10	702220	7	793118	6	935131	1		
419586	38	430447	86	433347	86	459586	54	467396	49	472192	37	488126	72	498192	10	702220	8	793126	6	935132	1		
419594	38	430492	86	433348	86	459596	54	468326	59	472194	37	488136	72	498194	10	702222	3	793128	3	935136	1		
419595	38	430496	86	433392	86	466008	26	468336	59	472195	37	488147	72	498195	10	702222	4	793128	8	935160	1		
419596	38	430726	60	433393	86	466018	26	468347	59	472196	37	494001	74	498196	10	702222	5	793136	3	935161	1		
419616	38	430747	60	433396	86	466026	26	468357	59	484226	55	494016	74	498416	10	702222	6	793136	8	935162	1		
419626	38	430792	60	433397	86	466036	26	469026	24	484247	55	494026	74	498426	10	702222	7	793218	6	935166	1		
419637	38	430796	60	433826	59	466047	26	469036	24	484326	55	494047	74	498437	10	702222	8	793226	6	935231	1		
419647	38	431203	80	433827	59	466057	26	469047	24	484326	55	494096	74	498447	10	702512	3	793228	3	935232	1		
419684	38	431223	80	433847	59	466126	26	469057	24	484326	55	494101	74	498482	10	702512	8	793228	8	935236	1		
419685	38	431226	80	433848	59	466126	26	469126	24	484347	55	494116	74	498484	10	702522	3	793236	3	935260	1		
419686	38	431303	80	433892	59	466147	26	469136	24	484347	55	494126	74	498485	10	702522	8	793236	8	935261	1		
419694	38	431323	80	433893	59	466147	26	469147	24	484347	55	494147	74	498486	10	720199	4	930511	88	935262	1		
419695	38	431326	80	433896	59	466208	28	469157	24	484426	55	494196	74	498492	10	720199	5	930512	88	935266	1		
419696	38	431603	80	433897	59	466218	28	469226	24	484447	55	497116	11	498494	10	720199	6	930536	88	935510	1		